Notice of Allowability	Application No.		Applicant(s)	
	10/091,303	ľ	YASUDA, NAOYA	
Notice of Allowability	Examiner		Art Unit	
	Luan Thai		2827	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS Is herewith (or previously mailed), a Notice of Allowance (PTOL-88 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT In of the Office or upon petition by the applicant. See 37 CFR 1.34	S (OR REMAINS) CLO	SED in this app communication	olication. If not included in design will be mailed in de	uded ue course. THIS
1. This communication is responsive to <u>the amendment file</u>				
 2. The allowed claim(s) is/are 1, 5 and 15-16 (renumbered. 3. The drawings filed on 06 March 2002 are accepted by th 				
Acknowledgment is made of a claim for foreign priority up)-(d) or (f)		
a) ⊠ All b) ☐ Some* c) ☐ None of the:	nder 55 0.0.0. 3 1 19(a)-(u) or (i).		
 Certified copies of the priority documents have 	ve been received.			
2. Certified copies of the priority documents have	ve been received in Ap _l	plication No	<u> </u>	
3. Copies of the certified copies of the priority d	locuments have been re	eceived in this r	national stage appl	ication from the
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
5. Acknowledgment is made of a claim for domestic priority	under 35 U.S.C. § 119	(e) (to a provisio	onal application).	
(a) The translation of the foreign language provisional	• •			
6. Acknowledgment is made of a claim for domestic priority	under 35 U.S.C. §§ 120) and/or 121.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" below. Failure to timely comply will result in ABANDONMENT of				
7. A SUBSTITUTE OATH OR DECLARATION must be sub INFORMAL PATENT APPLICATION (PTO-152) which gives rea				or NOTICE OF
8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsper 1) hereto or 2) to Paper No				
(b) including changes required by the proposed drawing		-	• • • • • • • • • • • • • • • • • • • •	
(c) I including changes required by the attached Examine	er's Amendment / Comi	ment or in the C	Office action of Pap	er No
Identifying indicia such as the application number (see 37 CFR each sheet.	1.84(c)) should be writte	en on the drawin	gs in the front (not	the back) of
9. DEPOSIT OF and/or INFORMATION about the department regarding REQUIREMENT FOR				d. Note the
Attachment(s)				
 1 Notice of References Cited (PTO-892) 3 Notice of Draftperson's Patent Drawing Review (PTO-948) 5 Information Disclosure Statements (PTO-1449), Paper No. 7 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	4☐ In 6⊠ E: 8⊠ E: 9☐ 0	terview Summa xaminer's Amen xaminer's State ther	ll Patent Applicatio ary (PTO-413), Par ndment/Comment ment of Reasons f	oer No or Allowance
	That	man	11/8/07	7

Application/Control Number: 10/091,303

Art Unit: 2827

EXAMINER'S AMENDMENT

Page 2

This Office action is responsive to the amendment filed on August 18, 2003.

Claim 2 has been canceled (amendment filed on August 18, 2003).

Claims 1, 3-14 and 15-16 (newly added claims) are pending in the application.

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. The application has been amended as follows:

Cancel claims 3-4 and 6-14 (non-elected claims).

Authorization for this examiner's amendment was given in a telephone interview with applicant's attorney, Mr. Stephen A. Backer, on November 3, 2003.

- 3. Claims 1, 5 and 15-16 are allowed and renumbered as 1-4 respectively.
- 4. The following is an examiner's statement of reasons for allowance: the cited arts fail to teach or render obvious: the mold has inner-wall surfaces, which defines a shape of the main cavity, the inner-wall surfaces including a first surface onto which the external-shape regulating member is placed, and a second surface adjacent to the first surface having an angle of more than 90 degrees relative to the first surface, and the external-shape regulating member has a third surface

Art Unit: 2827

facing the first surface and fourth surface facing the second surface, the fourth surface having an angle of more than 90 degrees relative to the third surface, the angle of the fourth surface being substantially the same as that of the second surface relative to the first surface, as recited in independent claim 1, especially when these limitations are considered within the specific combination claimed.

- 5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Luan Thai whose telephone number is (703) 308-1211. The examiner can normally be reached on 6:30 AM 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kamand Cuneo can be reached on (703) 308-1233. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 308-7724 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Luan Thai

November 3, 2003